
ALEM PRODUCTS

ATLITE



Atlite Award Winning Roof Window


(03) 9584 8500 www.atlite.com.au 31 - 33 Kembla Street, Cheltenham Vic Australia, 3192











Winner of Skylight Industry Association Awards including: Best Use of Skylights Residential New Construction and Skylight Show-room





LET THERE BE LIGHT!

Embrace the delight of natural light. Manufactured with premium quality double glaze glass, with a selftinting option, our advanced-technology roof window reduces glare and optimizes light flow in your room. With flyscreens standard on all openable Roof Window, you can also enjoy the flow of fresh air.

Browse our range of additional options to suit your unique needs.



ENERGY SAVING, HEATING AND COOLING

Enjoy every season with ATLITE's 5-star energy rated premium Roof Window, double glazed glass (compliant with Australian building code regulations AS1288-2006) keeps out the heat on hot summer days, while helping maintain a steady internal temperature during chilly winters. Take advantage of natural ventilation with the option-to-open or close your skylight. Rest assured, your bespoke skylight will safely provide energy saving insulation all year-round while blending seamlessy with the design of your home or workplace.

COMBAT WEATHER EXTREMES

Skillfully engineered to withstand extremes of weather, your ATLITE Roof Window has been rigorously tested to ensure it will remain leak-proof, fire-resistant (tested to AS3959 bushfire attack level test) BAL40 rated, non-combustible and rain, hail and cyclone resistant* in extreme conditions. The sleek edge-to-edge frameless design eliminates the risk of water retention and leakage, creating a strong, resilient prouct. Tested to AS4285 water leak test, this award-winning skylight is designed to meet all relevant Australian standards.

^{*} contact ATLITE for cyclone category



	FIXED	MANUAL	ELETRIC
550 x 550*	430	770	1600
800 x 800*	650	880	1800
1000 x 1000*	700	990	1950
1200 x 1200	770	1180	2075
1400 x 1400	2500	N/A	4500
1600 x 1600	3200	N/A	5200
550 x 800	425	755	1650
550 x 1000	485	765	1670
550 x 1200	550	820	1720
550 x 1400	615	865	1765
800 x 1000	590	890	1790
800 x 1200	660	970	1865
800 x 1400	730	1045	1940

^{*} All prices Ex GST











ATLITLE ROOF WINDOW



STANDARD VS CUSTOM

We work with you to create the most suitable products for your chosen space. With an existing of twenty standard shapes and sizes, our in-house manufacturing team can ensure a quick turnaround for Roof Windows with standard specifications. Alternatively, this product can be custom made to fit any size or shape. Designed to complement the architecture of your room you can explore your creativity with this exciting Australian innovation.

ATLITE PREMIUM EXTRAS

OPEN EASILY

Trust your Roof Window to work for you, providing natural light and ventilation with ease. Operated manually or by remote control wich is simple to program and able to integrate with your home or building management system.

There's no need to worry, in the event of an unexpected shower, the automatic rain sensor in the electric roof window will close the window keeping your room safe and dry.

GLASS TINT OPTIONS

With sleek, edge-to-edge clear glass as standard, or choose from our custom range of tints; opal, grey, solar cool evergreen, blue and bronze - there is a colour to perfectly suit your space.

Utilizing thermochromic technology, our advanced self-tinting laminate will vary your tint from clear to dark, depending on the intensity of the sublight hitting the window.

Particularly important in warmer climates, the self-tinting option will adpat your environment's changing needs of heat and light.

ATLITE BESPOKE

Don't limit creativity by opting for a standard square or rectangular skylight. ATLITE can match your creativity and work with any design to create something special for your space and specifications.

The ATLITE Roof Window can come in any size or shape-triangle, hexagon, rhombus fixed or openable.


FINISH


Standard finish on the Roof Window is white internal finish with a monument powder coated external frame. Other colours as optional Fixed, manual and eletric opening options. Clear glass as standard, also available in opal, grey tint, solar cool supergreen, blue tint and bronze tint.

Manufactured with optional self-tinting glass from clear to dark by direct sunlight.

(AS3959 bushfore attack level test, AS1530.8.1 fire test.

Tested AS4285 water leak test. Manufactured to comply with AS1288 overhead glazing requirement)





ATLITE ENERGILITE

Reduce your energy bills with the multi award winning ATLITE Energilite - the first Australian designed and manufacture skylight to achieve a 5-star energy rating. Double glazed glass combined with our exclusively designed aluminium frame works to maintain a steady internal temperature during chilly winters, while keeping out the heat on hot summer days, rest assured, your ATLITE skylight will safely provide energy insulation all year-round while blending seamlessly with the design of your property.

Our 5-star rating is determined by the Window Energy Rating Scheme (WERS). You'll save money and gain peace of mind by installing an ATLITE Energilite. This efficient system with high insulation properties is an environmentally conscious solution for any home or workplace.



TOP REASONS WHY THE ENERGILITE IS THE BEST SKYLIGHT ON THE MARKET

- \cdot This product complies with the Australian Standards AS4285- 2017 (skylights)
- \cdot 5-star rating is achieved as a result of the air unit created by the combination of the double glazed IGU and unique ATLITE aluminium frame
- \cdot 5-star rating is determined by the Window Energy Rating Scheme (WERS) for Skylights Program
- · Designed to comply with AS4285-2017 Australia Standards testing for Skylights (Water Leakage)
- \cdot Manufactured to comply with AS1288-2006 Glass in Buildings-Selection and Installation
- · All ATLITE products are made under ISO 9001 Quality System

EVEN MORE STANDARD SIZES!

SQUARE	PRICE	RECTANGLE	PRICE
500 x 500	250	500 x 750	270
750 x 750	315	500 x 950	300
950 x 950	410	500 x 1150	340
1150 x 1150	450	500 x 1350	470
1350 x 1350	2500	600 x 1800	600
1550 x 1550	3250	750 x 950	590
		750 x 1150	660
		750 x 1350	740

^{*} All prices Ex GST

- · Australian Designed, Manufactured and multi-award winning product
- · 15 Year Product Warranty
- · AS3959 Bushfire Attack Level Test BAL 40 rated
- · ATLITE is a Skylight Industry Association (SIA) member with over twenty year's service to the Master Builders Association (MBA)
- · Reduce UV by up to 99%., Energilite's double glazed IGU wich is 6mm high performance toughened Low E outer layer and has 12mm argon gas infill and 6.38mm clear laminated inner glass
- · Plaster Shaft finish 5mm away from the glass with a casing bead. No internal rebate for plaster to clear that _ seamless finish from roof to ceiling
- · Complement the architecture of your room with Energilite's sleek, modern design
- · Our low profile, compact design suits all roof types and pitches, with NO roof pitch restrictions
- · Match the look of your roof with our standard monument top frame. ATLITE can powder coat the top frame to any COLOURBOND steel colour and will provide the flashings to suit roof types






ATLITE SKYDOOR

Breathe new life into your traditional rooftop access with our innovative Skydoor. Doubling as an access hatch, this fully functional ATLITE Skydoor appeals to home owners, architects and designers alike.

Our modern design provides a welcome alternative, providing both attractive roof access and natural lighting to your home or workplace.



UNIQUE FEATURES

- 1. Double glazed glass provides excellent thermal characteristics to consistently manage heat loss and gain.
- 2. UV rating and solar-heat-gain-coefficiencies for heat loss and heat gain control.
- 3. Powder coated finish, non-corrosive, non-combustible aluminium and excellent for beach side and bush fire areas.
- 4. Eletrically operated linear actuators open and shut your Skydoor hatch via remote control
- 5. Flashing for installation on prepared upstand.
- 6. Compatible with stair ladders, the Skydoor provides safe and simple roof access with the added advantage of natural light flow.
- 7. Available in all standard sizes.











WHY A SKYDOOR IS THE PERFECT FIT

- · Sleek, edge-to-edge clear as standard, or choose from our custom range of tints-opal, solar cool evergreen, blue or bronze
- · Double glazed glass maintains a year-round steady internal temperature
- · Match your roof with our standard ZINCALUME finish, custom powder coated to COLORBOND steel colour. Flashing available.
- · Non-corrosive. non-combustible finish is excellent for beach and bush fire areas.
- · Low profile, compact design suits all roof types and pitches, with no restrictions.
- · Rigorously tested-leak-proof, fire-resistant (BAL40 rated), non-combustible, rain, hail and cyclone resistant* in extreme conditions
- · Compliant with AS1288-2017 Australian standards testing for skylights (water leakage) and AS1288-2006 glass in buildings-selection and installation
- · Nano coating to the glass is standard on our standard sizes
- * Contact ATLITE for Cyclone Category



ATLITE PIVOT OR SLIDING ACCESS HATCH




- · Allows easy access on commercial buildings for the servicing of plant and equipment
- · All-Metal Hatchway has an insulated all metal top
- · Available with ATLITE Energilite top if there is a requirement for natural light
- · Gas strut assisted opening for operations safety
- · Fitted with toggle clips to lock from the inside
- · Available in Raw Aluminium finish or custom product powder coat finish












Designed specifically for large projects and constructed in aluminium or steel, the ATLITE Gazbar System will be a highlight of your home or office.

- . Installed to existing timber or steel frame
- . Manufactured in aluminium or steel
- . Double glazed
- . Available in clear, grey, bronze or opal tint
- . Ten (10) year guarantee
- . Toughened glass and laminated glass to comply with AS1288 BCA





ATLITE CIRCULAR

Available in double glazing for thermal properties

- \cdot Glass available in solar cool evergreen, clear, opal and grey tint
- \cdot Base frames in square or circular formation
- \cdot ZINCALUME finish as standard. COLOUR BOND finish or galvanized iron finish upon request
- · For upstand installations the base frame can be manufactured to required specifications (refer installation guide)
- · Custom sizes available upon request
- · Manufactured to comply with AS1288 BCA requirements
- \cdot Thermal properties and data sheets on glass available on request
- · Available in all standard sizes, diameter, 600, 800, 1000, 1200, 1400, 1600, 1800, 2000, 2300.










ATLITE ENERGILITE TUBELITE

The ATLITE Energilite Tubelite is the first Australian Tested Skylight to achieve a BAL40 Bush Fire rating. It's tough double glazed glass with choices of either flexible shaft, either round or square for hard to reach areas or the rigid shaft, either round or square, for optimum light output. The ATLITE Energilite Tubelite is suited for any office or home application.

The ATLITE Energilite Tubelite is the perfect skylight to use if you have limited roof space. Unlike imported models the ATLITE Energilite Tubelite can be installed onto any roof type and any roof pitch. From round to round or round to square, the option is yours.



Also available with 2 types of diffuser finishes at ceiling level. Prismatic to disperse the light more evenly into the room or opal white finish for a more modern look.



ATLITE SLIDING ROOFLIGHT

Introducing the ATLITE Sliding Rooflight. Eletric operation, remote control and in custom made sizes to suit customer's requirements. The Sliding Rooflight is available in double glazed glass.

Manufactured to withstand the world's harshest climate conditions, the ATLITE Sliding Rooflight will not only brighten your dark areas but also bring in fresh air and a totally unobstructed view of the sky.

FEATURES & BENEFITS

- · Residential & Commercial Projects
- · Design & Construct Service
- · Custom Made to suit any opening
- · Built to prepared and flashed upstand by others
- · Available in glass due to its thermal characteristics
- · Thermal properties on glass makeup available upon request
- \cdot Available in ZINCALUME finish, or COLOURBOND to your roof colour
- · Shop and/or CAD Drawings on upstand requirements available upon request
- · Installation carried out by our team of qualified tradesmen
- · 10 Year Guarantee
- · Manufactured to Comply with AS1288 BCA requirements



OUR PARTNERS

NEW ZEALAND

Skylights New Zealand Limited Office and Shwroom (+61) 39 584 8500

NEW SOUTH WALES

Sydney & Regional NSW Skydome Skylight Systems P/L 13 14 24 skydome.com.au

Central Coast/Newcastle Skydome Hunter Coast 13 14 24 skydomehuntercoast.com.au

Inner City Attics
0416 078 731
88 Bourke Street,
Waterloo, 2017
admin@innercityattics.com.au
innercityattics.com.au/contact

QUEENSLAND

Skydome Brisbane 13 14 24 skydome.com.au

Skylights Plus (07) 5534 3782 skylightsplus.com.au Roof Space Renovators (07) 3889 6688 13/18 Hinkler Court, Brendale QLD 4500 contact@roofspacerenovators.com.au roofspacerenovators.com.au

SOUTH AUSTRALIA

Direct Skylight Supplies Pty Ltd (08) 8262 9512 directskylights.com.au

Adelaide Attics & Skylightst (08) 8371 1788 Home office: 339 Anzac Hyw Plympton South Australia 5038 Display at: Think Home Improvements 132 Murray St, Gawler South Australia 5118 adelaideatticsandskylights.com.au

Sharpe Group 8272 9899 28 Walsh Street Thebarton SA 5031 general@ers-sa.com.au sharpe-ers.com.au WESTERN AUSTRALIA

Calidad Industries Energy Efficiency Solutions (08) 9302 6622 calidad.net.au

RJ Group WA (08) 9256 2222 rjgroupwa.com.au

TASMANIA

Argus Building Products (03) 6344 7060 argustas.com.au

(03) 9584 8500 skylight@atlite.com.au atlite.com.au

31-33 Kembla Street, Cheltenham Vic Australia, 3192







